

Notice of Allowability

Application No.

09/879,304

Examiner

Heather D Gibbs

Applicant(s)

YAJIMA, SHUNSUKE

Art Unit

2622

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 09/13/2004.
2. ☒ The allowed claim(s) is/are ~~1-10~~ 1-3, 5-11 HDG
3. ☒ The drawings filed on 12 December 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


EDWARD COLES

SUPERVISORY PATENT EXAMINER

DETAILED ACTION

Response to Amendment

1. The amendment filed on 09/13/2004 has been entered and made of record. Claims have been renumbered 1-10.

Allowable Subject Matter

2. Claims 1-10 are allowed.
3. The following is an examiner's statement of reasons for allowance: Claims 1-10 are allowable over the prior art made of record because the Examiner found neither prior art cited in its entirety, nor based on the prior art, found any motivation to combine any of the said prior art which teaches an image reading device which allows the read image information from a document to be used for multiple usage purposes, comprising: an image reading portion for reading image information from the document; a document feeder portion for feeding and conveying the document to the image reading portion; a multiple number of document trays for feeding documents to the document feeder portion; a control portion through which each of the multiple number of document trays can be designated to be used as a dedicated tray corresponding to the usage purposes and which can provide the presentation of operational conditions corresponding to the usage purpose; and a controller which, when the document is placed on one of the dedicated trays, automatically selects among the multiple sets of operational conditions, one set of operational conditions for the

Art Unit: 2622

usage purpose designated for the document-placed, dedicated tray and presents said one set of operational conditions on the control portion; wherein the control portion has a usage purpose selector for allowing a dedicated tray to be temporarily used for a usage purpose other than that designated even after when the document has been placed on the dedicated tray, respectively, as set forth in Claims 1 and 10 including all of the features recited therein.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Heather D Gibbs whose telephone number is 703-306-4152. The examiner can normally be reached on M-F 8AM-4PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on 703-305-4712. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Heather D Gibbs
Examiner
Art Unit 2622

hdg


EDWARD COLES
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2622